

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5

```

C:\>route print
=====
Interface List
0x1.....MS TCP Loopback interface
0x18000003....00 53 45 00 00 00.....WAN (PPP/SLIP) Interface
=====

Active Routes:
Network Destination    Netmask          Gateway         Interface        Metric
0.0.0.0                0.0.0.0         10.105.136.163  10.105.136.163    1
10.105.136.163        255.255.255.255  127.0.0.1      127.0.0.1         1
10.255.255.255        255.255.255.255  10.105.136.163  10.105.136.163    1
127.0.0.0             255.0.0.0       127.0.0.1      127.0.0.1         1
192.168.254.254       255.255.255.255  10.105.136.163  10.105.136.163    1
224.0.0.0             224.0.0.0       10.105.136.163  10.105.136.163    1
Default Gateway:      10.105.136.163
Persistent Routes:
None

Netmask: 255.255.224.0  11111111.11111111.11100000.00000000
AND
Destination IP: 80.223.161.25  01010000.11011111.10100001.00011001
Result: 80.223.160.0  01010000.11011111.10100000.00000000

Network Destination    Netmask          Gateway         Interface        Metric
80.223.161.25        255.255.255.255  10.105.136.163  10.105.136.163    1

Netmask: 255.255.255.255  11111111.11111111.11111111.11111111
AND
Destination IP: 80.223.161.25  01010000.11011111.10100001.00011001
Result: 80.223.161.25  01010000.11011111.10100001.00011001

=====
Interface List
0x1.....MS TCP Loopback interface
0x18000003....00 53 45 00 00 00.....WAN (PPP/SLIP) Interface
0x19000004....00 53 45 00 00 00.....WAN (PPP/SLIP) Interface
=====

Active Routes:
Network Destination    Netmask          Gateway         Interface        Metric
80.223.161.25        255.255.255.255  10.105.136.163  10.105.136.163    1
80.223.160.29       255.255.255.255  10.105.146.249  10.105.146.249    1
Default Gateway:      10.105.146.249
Persistent Routes:
None

```

FIG. 7